



Impetigo

What is Impetigo?

Impetigo is a contagious skin infection caused by *Streptococcus* (Strep) or *Staphylococcus* (Staph) bacteria. The infection occurs when the bacteria get into cuts, scrapes or insect bites, but can also develop without any notable damage to the skin. The infection is most commonly seen in children, especially in warm weather.

How is Impetigo spread?

Impetigo is spread through direct contact with the sores of an infected person. Less commonly, it can be spread by coming in contact with clothing, bed linens, towels and even toys contaminated with discharge from the sores of an infected person. Several types of impetigo exist, with differing signs and symptoms. However, the most common form is impetigo contagiosa.

How is Impetigo treated?

A physician should be consulted to examine, diagnose and order treatment for impetigo. Sometimes the doctor may choose to treat minor cases of impetigo with only hygienic measures such as keeping the skin clean. The infection can also be treated with a topical antibiotic ointment which is applied to the skin, or in severe cases, an oral antibiotic may be necessary to clear the infection.

A person with impetigo should follow these measures to reduce the risk of the infection spreading to others:

- Gently wash the affected areas with mild soap and water.
- After skin is dry, cover affected areas lightly with a non-stick dressing.
- Wash the infected person's clothes, linens and towels daily and avoid sharing them with anyone else in the family.
- Wear gloves when applying antibiotic ointment and wash hands thoroughly after removing gloves.
- Avoid touching or scratching the sores until they heal.

- Wash hands frequently. Hands are the most important instrument for transmitting infection.

How can Impetigo be prevented?

Keeping your skin clean is the best way to keep it healthy. Treat cuts, scrapes, insect bites and other wounds right away by washing the affected areas to prevent infection. Exclude students with impetigo from school, day care, and sports involving skin-to-skin contact until 24 hours after the start of treatment.

Symptoms of Impetigo may include:

- Starts as red sore on face, usually on nose or mouth
- Sores develop 7-10 days after bacteria enter the skin
- Sores are itchy but not painful
- Sores rupture oozing fluid or pus
- Honey color crust is formed
- Crust disappears leaving a red mark that heals without scarring
- Fever is unlikely
- Swollen lymph nodes may be present in affected area
- Touching or scratching sores can spread infection to other parts of the body

Jackson County Health Department
1715 Lansing Ave.
Jackson, MI 49202
(517) 788-4420

www.co.jackson.mi.us



Source: www.cdc.gov

CDC Public Information

English 1-888-246-2675

Espanol 1-888-246-2857

TTY 1-888-874-2646